# Powerfully attractive!

bernette 05 series

4.

h

h

h

5

z

5

z

Ъ

z

z

z

z

4

## bernette for all my ideas

z

h

z

4

z

5

4

h

N

h

h

4.

4.

h

h

h

4

4

2

For the most up to date prices visit: www.sewingmachinesales.co.uk





Do you want to get creative? Are you looking for a fast, robust, good value sewing machine that is easy to use and will stand up to the stresses of all your sewing work? Then the models of the bernette 05 series are made for you! Let us introduce you to the b05 CRAFTER and the b05 ACADEMY.

For the most up to date prices visit: www.sewingmachinesales.co.uk

#### www.bernette.com



#### bernette 05 ACADEMY

The bernette 05 ACADEMY is the ideal sewing machine for inspired people. Equipped with a wide range of functions, 30 exclusive stitches and a fast motor, the b05 ACADEMY lets you quickly realise your wildest ideas. For tricky projects that require a slower pace, you can reduce the maximum sewing speed. It comes with an impressive 12 presser foot soles – for every sewing task, an easy-to-attach finger guard and even more sewing space with the large, convenient extension table. Who knows what ideas you'll have tomorrow? The b05 ACADEMY will always be there for you.





#### bernette 05 CRAFTER

The rugged bernette 05 CRAFTER is the sewing machine for creative all-rounders. From beautiful clothes to trendy accessories, you can finish your projects in no time at all. The b05 CRAFTER is super easy to use. You can see all the controls at a glance. With the 30 exclusive stitches included, such as super-stretch stitch and blanket stitch, it offers everything you need. The stitches can be adjusted up to a width of 6 mm and a length of 4 mm. The sewing is brightly illuminated thanks to the two LEDs in two different positions. With the 6 included presser foot soles, you can start sewing your own creations. Whether you make them out of fine fabric or strong denim, the bernette 05 CRAFTER will handle it.

> For the most up to date prices visit: www.sewingmachinesales.co.uk



General functionsIntermSeveng machineSeveng machineHock systemDrop-inDrop-inSpace to the right of the needleDrop-inDrop-inSpace to the right of the needleI CS mmI CS mmPreser foot pressure manually adjutableI I I I I I I I I I I I I I I I I I I	Functions in comparison	b05 ACADEMY	b05 CRAFTER
NotDrop-inDrop-inSpace to the right of the needle165 mm165 mmSpace to the right of the needle	General functions		
Space to the right of the needle1155 mm1155 mmPresser foot pressure manually adjustable	Machine type	Sewing machine	Sewing machine
Preser for presure manually adjustable         Image: manually adjustable         Image: manually adjustable           Upper thread tension manually adjustable         Image: manually adjustable         Image: manually adjustable           Sewing light         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Sewing light         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Adjustable maximum sewing speed         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Maximum stitch length         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Stitch length manually adjustable         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Statch addressories         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Statch addressories         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Statch addressories         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable           Statch addressories         Image: manually adjustable         Image: manually adjustable         Image: manually adjustable	Hook system	Drop-in	Drop-in
Upper thread tension manually adjustableImage: state	Space to the right of the needle	165 mm	165 mm
Anual thread cutterImage: Additional addi	Presser foot pressure manually adjustable	~	~
Semi-automatic needle threaderSewing light2 LEDsSewing light2 LEDsSewing speed (stitches per minute)1100 spmAdjustable maximum sewing speedMaximum stitch width6 mmMaximum stitch length4 mmMaximum stitch lengthStitch length manually adjustableStitch length manually adjustableStitch length manually adjustableStitch length manually adjustableSuper-stretch stitch/Lycra stitchBlanket stitch1-step buttonholeStadad accessoriesStadad accessoriesStadad accessoriesSitch hotin bildeSuper footStatch footStatch stoftStadard accessoriesStadard accessoriesStatch footSuper footStatch foot	Upper thread tension manually adjustable	~	<ul> <li></li> </ul>
Sewing light2 LEDs2 LEDsSewing1100 spmMaimum sewing speed (stitches per minute)1100 spmAdjustable maximum sewing speed~-Maximum stitch width6 mm6 mmMaximum stitch length4 mm4 mmStitch width manually adjustable~-Total number of sewing stitches3030Super-stretch stitch/lycra stitchInstep buttonholeNeedle position manually adjustableStadard accessoriesTotal preser foot soles126Zigzg footZigzg footZigzg footZigzg footInsible-zipper footDerinder footBindstitch footDaring-Æmbroider footBindstitch footMaximum streit soleBindstitch footDaring-Æmbroider footBindstitch foot. <t< td=""><td>Manual thread cutter</td><td><math>\checkmark</math></td><td>~</td></t<>	Manual thread cutter	$\checkmark$	~
SewingInterfactMaximum sewing speed (stitches per minute)1100 spm1100 spmAdjustable maximum sewing speed-Maximum stitch width6 mm6 mmMaximum stitch width6 mm4 mmMaximum stitch length4 mm4 mmStitch width manually adjustableStitch width manually adjustable3030Super-stretch stitch/lycra stitch3030Super-stretch stitch/lycra stitchInstep buttonholeNeedle position manually adjustableNeedle position manually adjustableStandard accessories126Zigzag footZigzag footZigzag footStitch footDerlock footBindstitch footDerlock footBindstitch footDerlock footBindstitch footDerlock footBindstitch footDerlock footButton sew-on footHemmer footOptionalBindstitch footHemmer footOptionalHeight compensation toolHeight compensation toolFiger guardStota<	Semi-automatic needle threader	$\checkmark$	~
Maximum sewing speed (stitches per minute)1100 spm1100 spmAdjustable maximum sewing speed-Maximum stitch width6 mm6 mmMaximum stitch length4 mm4 mmStitch width manually adjustableStitch length manually adjustableStitch sewing stitches3030Super-stretch stitch/Lycra stitchBlanket stitch1-step buttonholeNeedle position manually adjustableRetractable feed dogStandard accessoriesTotal preser foot solesZigzag footZigzag footNerelfe position manually adjustableButtonhole foot with slideZigzag footStandard accessoriesSittoh ed togSittoh footSutonhole foot with slideSittoh soleBindstitch footOverlock footBindstitch footDarning-Embroidery footButton slide footSittoh sev-on footHemmer footOpen embroidery footBindstitch footSittoh sevien footSittoh sevien footSittoh sevie	Sewing light	2 LEDs	2 LEDs
Adjustable maximum sewing speed··Maximum stitch width6 mm6 mmMaximum stitch length4 mm4 mmStitch width manually adjustable··Stitch length manually adjustable3030Styper-stretch stitch/Lycra stitch3030Blanket stitch··1-step buttonhole··Needle position manually adjustable··Retractable feed dog··Standard accessories126Zigzag foot··Iotal preser foot soles··Zigzag foot··Invisible-zipper foot··Overlock foot··Blindstitch foot··Darning-/Embroidery foot··Iotan preser foot soles··Iindstitch foot··Invisible-zipper foot··Overlock foot··Blindstitch foot··Darning-/Embroidery foot··Itton sev-on foot··Hemmer foot··Open embroidery foot··Edgestitch foot··Height compensation tool··Finger guard··Iorigrafie··Iorigrafie··Iorigrafie··Iorigrafie··Iorigrafie··Iorigrafie·<	Sewing		
Maximum stitch width6 mm6 mmMaximum stitch length4 mm4 mmStitch width manually adjustableStitch length manually adjustableTotal number of sewing stitches3030Super-stretch stitch/Lycra stitchBlanket stitch1-step buttonholeNeedle position manually adjustableRetractable feed dogStandard accessoriesTotal presser foot solesZigzag footZigzag footStonhole foot with slideZipper footNersible-zipper footDerinder footBindstitch footButton sev-on footHumm footOpen embroidery footBindstitch foot <td>Maximum sewing speed (stitches per minute)</td> <td>1100 spm</td> <td>1100 spm</td>	Maximum sewing speed (stitches per minute)	1100 spm	1100 spm
Maximum stitch length4 mmStitch width manually adjustableStitch length manually adjustableTotal number of sewing stitches30Super-stretch stitch/Lycra stitchBlanket stitch1-step buttonholeNeedle position manually adjustableRetractable feed dogStandard accessoriesTotal presser foot solesZigzag footZigzag footStothohole foot with slideStothohole foot with slideDiverlock footButtonhole foot with slideStothohole footStothohole	Adjustable maximum sewing speed	$\checkmark$	-
Stitch width manually adjustableStitch length manually adjustableTotal number of sewing stitches30Super-stretch stitch/Lycra stitchBlanket stitchI-step buttonholeNeedle position manually adjustableRetractable feed dogStandard accessoriesTotal presser foot soles112Zigzag footZigzag footZigzag footStitch vith non-stick soleButtonhole foot with sideOverlock footDinsible-zipper footNotek footDinsible-zipper footStitch footButtonhole foot with sideButtonhole foot with sideStitch footDening-Embroidery footBudton sew-on footHemmer footGuen antonizet footHeight compensation toolHeight compensation toolKetension tableKetension table<	Maximum stitch width	6 mm	6 mm
Stitch length manually adjustableTotal number of sewing stitches3030Super-stretch stitch/Lycra stitchBlanket stitch1-step buttonholeNeedle position manually adjustableRetractable feed dogStandard accessoriesTotal presser foot soles126Zigzag footZigzag footZipper footNusible-zipper footOverlock footBindstitch footDarning-/Embroidery footGoptionallBittonsew-on footHeight compensation toolHeight compensation toolEttension tableGiper guardOptionallOptionallBing turb footOptionallBing turb footOptionallOptionallOptionallOptionallOptionallOptionallOptionallOptionallOptionallOptionallOptionallOptionallOptionall<	Maximum stitch length	4 mm	4 mm
Total number of sewing stitches3030Super-stretch stitch/Lycra stitch··Blanket stitch··1-step buttonhole··Needle position manually adjustable··Retractable feed dog··Standard accessories··Total presser foot soles126Zigzag foot··Zigzag foot with non-stick sole··Buttonhole foot with slide··Zipper foot··Nivsible-zipper foot··Overlock foot··Blindstitch foot··Darning-/Embroidery foot··Goptionall··Eldepstitch foot··Lycen foot··Hernmer foot··Open embroidery foot··Height compensation tool··Height compensation tool··Finger guard··Stension table··Stension table <td>Stitch width manually adjustable</td> <td>~</td> <td>~</td>	Stitch width manually adjustable	~	~
Super-stretch stitch/Lycra stitchBlanket stitchBlanket stitch1-step buttonholeNeedle position manually adjustableRetractable feed dogStandard accessoriesTotal presser foot soles112Zigzag footZigzag foot with non-stick soleButtonhole foot with slideZipper footNovelock footBindstitch footDarning-/Embroidery footButtons evo-on footButtons evo-on footButtons footButton footBindstitch footButton footButton sew-on footButton sew-on footButton footButton footButton footButton guardButton sew-on footButton guardGoptionalButton guardGiper stitch footGuard accessoriesButton guardGuard accessoriesButton guardGuard accessoriesButton footButton guardGuard accessoriesButton footButton guardGuard accessoriesButton footGuard accessoriesButton footGuard accessoriesGua	Stitch length manually adjustable	$\checkmark$	~
Blanket stitch1-step buttonhole1-step buttonholeNeedle position manually adjustableRetractable feed dogStandard accessoriesTotal presser foot soles122 [gzag footZigzag footZigzag foot with non-stick soleButtonhole foot with slideZipper footOverlock footBindstitch footButton sew-on footHemmer footOpen embroidery footButton footButton footButton sew-on footHemmer footCipgestitch footButton footButton sew-on footHemmer footCipgestitch footFootFootStepsetich footStepsetich footFootStepsetich footStepsetich footFootStepsetich footStepsetich footStepseti	Total number of sewing stitches	30	30
1-step buttonholeNeedle position manually adjustableRetractable feed dogRetractable feed dogStandard accessoriesTotal presser foot soles12Gigzag footZigzag footZigzag foot with non-stick soleButtonhole foot with slideZipper footOverlock footBindstitch footDerning-/Embroidery footButton sew-on footHemmer footOpen embroidery footLippe stitch footUpen embroidery footLipper stitch footUpen emb	Super-stretch stitch/Lycra stitch	$\checkmark$	~
Needle position manually adjustableImage: Constraint of the sector of the s	Blanket stitch	$\checkmark$	~
Retractable feed dogImage: Comparison of the second of the se	1-step buttonhole	$\checkmark$	~
Standard accessoriesImage: standard accessoriesImage: standard accessoriesTotal presser foot soles126Zigzag footImage: standard accessoriesImage: standard accessoriesZigzag foot with non-stick soleImage: standard accessoriesImage: standard accessoriesZigzag foot with non-stick soleImage: standard accessoriesImage: standard accessoriesButtonhole foot with slideImage: standard accessoriesImage: standard accessoriesZipper footImage: standard accessoriesImage: standard accessoriesNovisble-zipper footImage: standard accessoriesImage: standard accessoriesOverlock footImage: standard accessoriesImage: standard accessoriesDarning-Embroidery footImage: standard accessoriesImage: standard accessoriesButton sew-on footImage: standard accessoriesImage: standard accessoriesDependerbidery footImage: standard accessoriesImage: standard accessoriesLight compensation toolImage: standard accessoriesImage: standard accessoriesLings guardImage: standard	Needle position manually adjustable	~	~
Total presser foot soles126Zigzag foot<	Retractable feed dog	$\checkmark$	~
Zigzag footImage: Constraint of the section of the secti	Standard accessories		
Zigzag foot with non-stick soleImage: Constraint of the state of the st	Total presser foot soles	12	6
Buttonhole foot with slide       ···         Zipper foot       ···         Invisible-zipper foot       ···         Overlock foot       ···         Blindstitch foot       ···         Darning-/Embroidery foot       ···         Button sew-on foot       ···         Hemmer foot       ···         Open embroidery foot       ···         Edgestitch foot       ···         Height compensation tool       ···         Extension table       ···         Finger guard       ···	Zigzag foot	~	~
Zipper foot     ···       Invisible-zipper foot     ···       Overlock foot     ···       Durving     ···       Blindstitch foot     ···       Darning-/Embroidery foot     ···       Button sew-on foot     ···       Hemmer foot     ···       Open embroidery foot     ···       Edgestitch foot     ···       Height compensation tool     ···       Finger guard     ···	Zigzag foot with non-stick sole	$\checkmark$	optional
Invisible-zipper footImage: Constraint of the sector of the s	Buttonhole foot with slide	$\checkmark$	~
Overlock foot     Image: Comparison of the second of the sec	Zipper foot	~	~
Bindstitch foot     Image: Comparison of the second of the s	Invisible-zipper foot	~	$\checkmark$
Darning-/Embroidery footImage: Constraint of the server on footImage: Constraint on the server on footImage: Constraint on the server on the	Overlock foot	~	$\checkmark$
Button sew-on foot     Image: Constraint of the sew-on foot       Hemmer foot     Image: Constraint of the sew-on foot       Open embroidery foot     Image: Constraint of the sew-on foot       Edgestitch foot     Image: Constraint of the sew-on foot       Height compensation tool     Image: Constraint of the sew-on foot       Extension table     Image: Constraint of the sew-on foot       Finger guard     Image: Constraint of the sew-on foot	Blindstitch foot	~	$\checkmark$
Hermmer foot     Optional       Open embroidery foot     Image: Comparison of the second sec	Darning-/Embroidery foot	~	optional
Open embroidery footImage: Constraint of the sector of the se	Button sew-on foot	~	optional
Edgestitch foot     Optional       Height compensation tool     Image: Comparison of the second sec	Hemmer foot	~	optional
Height compensation tool     Image: Compensation tool       Extension table     Image: Compensation tool       Finger guard     Image: Compensation tool	Open embroidery foot	~	optional
Extension table     Image: constraint optional       Finger guard     Image: constraint optional	Edgestitch foot	$\checkmark$	optional
Finger guard optional	Height compensation tool	~	×
	Extension table	~	optional
BERNINA needle set	Finger guard	~	optional
	BERNINA needle set	~	~

Not all models and accessory components are available in all countries. Subject to changes in features and design.



#### Adjustable needle position

Optimal stitches even with thick fabrics thanks to adjustable presser foot pressure and upper thread tension

Integrated thread cutter for cutting with just one hand movement

The needle threader provides threading assistance

Retractable feed dog for darning and free-motion sewing

Integrated accessory box helps to keep things in order






#### Sewing instructions for a jeans backpack

This up-cycled jeans backpack project is quick and easy to sew. You just need some old pairs of jeans to show what you can do. The sewing instructions are available here:

www.bernette.com/jeans-backpack





#### Sewing instructions for a shirt blouse

Do you need a new blouse or shirt? Something fashionable that no one else has? An item that is quick and easy to make? The sewing instructions, including the pattern, for this great shirt blouse with a floral print are available here:

www.bernette.com/shirt-blouse



### www.bernette.com

bernette is a brand of the BERNINA Textile Group.