

bernette

SWISS DESIGN



PRODUCT GUIDE

b79
b77
b70 DECO

b38
b37
b35
b33

sew&go 1

Overlockers
b48
b44
b42



AT A GLANCE

bernette MACHINE FEATURES
SEWING, EMBROIDERY, OVERLOCKER

©2019 BERNINA of America. Permission granted to copy and distribute in original form only. Content may not be altered or used in any other form or under any other branding. Content subject to change.
06032019

For the most up to date prices visit: www.sewingmachinesales.co.uk

made to create **BERNINA**

TABLE OF CONTENTS

bernette - Best in Class	3
Best in Class: The bernette 70 series Overview	4
Best in Class: The bernette 70 series Big 7	5
bernette 79	6
bernette 79 Embroidery Features	8
bernette 77	10
bernette 70 DECO	12
bernette 38	14
bernette 37	16
bernette 35	18
bernette 33	20
sew&go 1	22
bernette 48 Combo Machine	24
bernette 44 Overlock	25
bernette 42 Cover/Chainstitch	26

bernette - Best in Class

bernette - BEST IN CLASS

bernette offers a very attractive value in its class of entry level and mid-range machines with modern, easy-to-use, full range of products for the value-minded, practical sewist.

Best in Class Swiss Design

Specified, designed and tested in Switzerland.

Best in Class Product Line

A full product range with sewing, embroidery and overlock machines that complement each other.

Best in Class Features

Intuitive User Interface, bernette Free Hand System, a longer arm with 9 inches to the right of the needle, 5" centrally located color touch screen and more. (b70 Series only)

Best in Class Support

Education and after sales service from a dedicated, highly educated dealer network.

Best in Class Pricing

A fine entry level and mid-range product portfolio of machines that offer stylish designs and sought-after features for the value shopper.

For the most up to date prices visit: www.sewingmachinesales.co.uk

Best in Class: The bernette 70 series

b70 series Overview

- 9" to the Right of the Needle
- 5" Workspace Height
- Maximum Sewing Speed: 1000 spm
- Maximum Embroidery Speed: 850 spm
- 5" Centrally Located Color Touch Screen
- 7 mm Stitch Width
- Multi-function knobs
- DC Motor
- bernette Free Hand System
- bernette Foot Control with Back-Kick
- Automatic Thread Cutter
- Start/Stop Button
- Slide Speed Control
- 4 LED Lights (Adjustable Brightness)



bernette 79 Sewing and Embroidery Combo



bernette 70 DECO Embroidery Only



bernette 77 Sewing Only



Best in Class: The bernette 70 series

Big 7 of Sewing

- bernette Dual Feed
- Automatic Presser Foot Lift
- bernette Stitch Designer (b79 only)
- bernette Personal Program
- Stitch Plate Detection
- Temporary Altered Stitch Memory
- bernette Built-in Support



Big 7 of Embroidery

- Drag and Drop Editing
- Absolute Check
- bernette Thread Away Mode
- Reads Multi-format Designs
- 3 Hoops Standard - Maximum
Embroidery Field 10.2" x 6.3"
- CutWork Compatible
- Toolbox Software Standard
(Editing and Lettering Modules)



bernette 79

500 TOTAL STITCHES

- 22 Practical
- 14 Buttonholes
- 2 Eyelets
- 1 Sew-on Button Program
- 133 Decorative
- 35 Quilting
- 3 Alphabets
- 2 Darning Programs

MACHINE FEATURES

Maximum Sewing Speed 1000 spm
9" to the Right of the Needle
5" Workspace Height
5" Centrally Located LCD Display
7 mm Maximum Stitch Width
5 mm Maximum Stitch Length
15 Needle Positions
bernette Dual Feed
4 LED Lights (Adjustable Brightness)
DC Motor
Automatic Presser Foot Lift
Automatic Thread Cutter
Upper Thread Sensor
Bobbin Thread Sensor
Stitch Plate Detection
Machine Weight: 20.5 lbs.
Accessory Box Weight: 1 lb.
Machine Dimensions (L/W/H):
20" x 7.9" x 12.4"
1 USB Port

COMPATIBLE ACCESSORIES

8 Optional Presser Feet available
as a kit or individually



10 PRESSER FEET

One Shank + 7 Soles + 3 Emb Feet:

Zigzag Sole (DA) *

Overlock Sole (DI) *

Buttonhole Foot with Slide (RJ)

Zipper Sole (JB) *

Blindstitch Sole (DM) *

Button Sew-on Sole (RC)

Embroidery (Sewing) Sole (JK)

Free-motion Embroidery Foot (RX)

Embroidery Foot (JL)












Hopper Embroidery Foot (JX)

* For Dual Feed

STANDARD ACCESSORIES

bernette Foot Control with Back-kick
bernette Free Hand System
Large Extension Table
Snap-in Accessory Box with Storage
4 Bobbins including one in machine
Premium Soft Cover
Tool Kit

MACHINE FUNCTIONS

-  Pattern Begin
-  Securing
-  Presser Foot Lift
-  Upper Thread Tension
-  Presser Foot Sole Display
-  Needle Security
-  Presser Foot Pressure
-  Stitch Plate Security
-  Sewing Tutorial
-  bernette Creative Consultant
-  Eco
-  clr - Back to Basic Setting








Pattern End can be programmed with the Securing Function. However, there is not a separate icon for this feature.

GENERAL SEWING FUNCTIONS


-  bernette Personal Program
-  Needle Stop Up/Down-Permanent
-  Combi-Mode
-  bernette Stitch Designer
-  Triple Stitch Function (bernette Stitch Designer)
-  bernette Programmable Foot Control

Temporary Altered Stitch Memory

INFORMATION FUNCTIONS

-  Pattern Repeat
-  Pattern Extend
-  Mirror Image Left/Right
-  Mirror Image Up/Down
-  Balance
-  Continuous Reverse
-  Backstepping

BUTTONHOLE FUNCTIONS

-  Buttonhole stitched to size of button inserted

For the most up to date prices visit: www.sewingmachinesales.co.uk

bernette 79 Embroidery

EMBROIDERY PACKAGE

208 Designs
7 Alphabets
Automatic Feed Dog Drop when
module is attached
Position Recall when machine is turned off
Maximum Sewing Field: 10.2" x 6.3"
Drag and Drop Editing
Embroidery Editing Features
Reads Multiple Formats

MACHINE FEATURES

Maximum Embroidery Speed: 850 spm
9" to the Right of the Needle
5" Workspace Height
5" Centrally Located Color Touch Screen
Automatic Presser Foot Lift
Automatic Feed Dog Drop
when module is attached
Hoop Detection
Stitch Plate Detection
Machine Weight: 20.5 lbs.
Module Weight: 8 lbs.
Machine Dimensions with module
attached (L/W/H): 28" x 18.7" x 12.4"
1 USB Port












STANDARD ACCESSORIES

Straight/Cutwork Stitch Plate
Embroidery Foot (JL)
Hopper Embroidery Foot (JX)
Large Hoop & Template
Medium Hoop & Template
Small Hoop & Template
Toolbox Embroidery Software
(Lettering and Editing Modules)








COMPATIBLE ACCESSORIES

Toolbox Monogram Module
(Lettering and Editing Modules
Included)
BERNINA CutWork Tool
BERNINA Embroidery Software 8

MACHINE FUNCTIONS

-  Upper Thread Tension
-  Needle Security
-  Presser Foot Sole Display
-  Hoop Selection / Hoop Display
-  Stitch Plate Security
-  Embroidery Tutorial
-  Eco
-  CLR - Back to Basic Setting
-  Thread Up Command













EMBROIDERY SELECTION FUNCTIONS

-  Alphabet Folder
-  Embroidery Motifs Folder
-  My Designs Folder
-  Open New Motif
-  Add Motif
-  Save Motif
-  Delete Motif







EMBROIDERY SETUP FUNCTIONS

-  Securing Stitches On / Off
-  Fabric Thickness

EMBROIDERY EDIT FUNCTIONS

-  Edit Embroidery Motifs
 -  Move Motif
 -  Center the Motif in Hoop
 -  Rotate Motif
 -  Altering the Size
 -  Add Motif (+ on top of layer panel)
 -  Check -- Checking the Motif Size
 -  Motif Center
 -  Stitch Density for Alphabets
 -  Color Information
 -  Convert Thread Brand to Another
 -  Word Art/Text Bending
- Absolute Check - no associated icon

EMBROIDERY STITCHING FUNCTIONS

-  Embroidery OK
-  Basting - Motif / No Basting
-  Move Hoop
-  Sequence Control
-  Cut Connecting Stitches
-  Single/Multi-color Motif

For the most up to date prices visit: www.sewingmachinesales.co.uk

bernette 77

500 TOTAL STITCHES

22	Practical
14	Buttonholes
2	Eyelets
1	Sew-on Button Program
133	Decorative
35	Quilting
3	Alphabets
2	Darning Programs

MACHINE FEATURES

Maximum Sewing Speed: 1000 spm
9" to the Right of the Needle
5" Workspace Height
5" Centrally Located Color Touch Screen
7 mm Maximum Stitch Width
5 mm Maximum Stitch Length
15 Needle Positions
bernette Dual Feed
4 LED Lights (Adjustable Brightness)
DC Motor
Automatic Presser Foot Lift
Automatic Thread Cutter
Upper Thread Sensor
Bobbin Thread Sensor
Stitch Plate Detection
Machine Weight: 20.25 lbs
Accessory Box Weight: 1 lb.
Machine Dimensions(L/W/H):
20" x 7.9" x 12.4"

COMPATIBLE ACCESSORIES

Straight Stitch Plate
8 Optional Presser Feet available
as a kit or individually



EIGHT PRESSER FEET

One Shank + 7 Soles + 1 Emb Foot:
Zigzag Sole (DA) *
Overlock Sole (DI) *
Buttonhole Foot with Slide (RJ)
Zipper Sole (JB) *
Blindstitch Sole (DM) *
Button Sew-on Sole (RC)
Embroidery (Sewing) Sole (JK)
Free-motion Embroidery Foot (RX)
* For Dual Feed

STANDARD ACCESSORIES






bernette Foot Control with Back-kick
bernette Free Hand System
Large Extension Table
Snap-in Accessory Box with Storage
4 Bobbins including one in machine
Premium Soft Cover
Tool Kit

MACHINE FUNCTIONS

-  Pattern Begin
-  Securing
-  Presser Foot Lift
-  Upper Thread Tension
-  Presser Foot Sole Display
-  Needle Security
-  Presser Foot Pressure
-  Stitch Plate Security
-  bernette Creative Consultant
-  Eco
-  CLR - Back to Basic Setting
-  Presser Foot Sole Display

Pattern End can be programmed with the Securing Function. However, there is not a separate icon for this feature.








GENERAL SEWING FUNCTIONS

-  bernette Personal Program
-  Needle Stop Up/Down-Permanent
-  Combi-Mode
-  Triple Stitch Function
-  bernette Programmable Foot Control


Temporary Altered Stitch Memory



INFORMATION FUNCTIONS

-  Pattern Repeat
-  Pattern Extend
-  Mirror Image Left/Right
-  Mirror Image Up/Down
-  Balance
-  Continuous Reverse
-  Backstepping

BUTTONHOLE FUNCTIONS

-  Buttonhole stitched to size of button inserted

For the most up to date prices visit: www.sewingmachinesales.co.uk

bernette 70 DECO Embroidery Only

EMBROIDERY PACKAGE

208 Designs
7 Alphabets
Position Recall
Maximum Sewing Field: 10.2" x 6.3"
Drag and Drop Editing
Embroidery Editing Features
Reads Multiple Formats

MACHINE FEATURES

Maximum Embroidery Speed: 850 spm
9" to the Right of the Needle
5" Workspace Height
5" Centrally Located Color Touch Screen
Automatic Presser Foot Lift
Automatic Feed Dog Drop when
module is attached
Hoop Selection
DC Motor
Machine Weight: 18 lbs
Module Weight: 8 lbs
Machine Dimensions with module
attached (L/W/H): 28" x 18.7" x 12.4"
1 USB Port












STANDARD ACCESSORIES

Embroidery/Cutwork Stitch Plate
Embroidery Foot (JL)
Hopper Embroidery Foot (JX)
Large Hoop & Template
Medium Hoop & Template
Small Hoop & Template
Toolbox Embroidery Software
(Lettering and Editing Modules)

COMPATIBLE ACCESSORIES








Toolbox Monogram Module
(Lettering and Editing Modules
Included)
BERNINA CutWork Tool
BERNINA Embroidery Software 8

MACHINE FUNCTIONS

-  Upper Thread Tension
-  Needle Security
-  Presser Foot Selection
-  Hoop Selection / Hoop Display
-  Stitch Plate Security
-  Embroidery Tutorial
-  Eco
-  CLR - Back to Basic Setting
-  Thread Up Command















EMBROIDERY SELECTION FUNCTIONS

-  Alphabet Folder
-  Embroidery Motifs Folder
-  My Designs Folder
-  Open New Motif
-  Add Motif
-  Save Motif
-  Delete Motif







EMBROIDERY SETUP FUNCTIONS

-  Securing Stitches On / Off
-  Fabric Thickness

EMBROIDERY EDIT FUNCTIONS

-  Edit Embroidery Motifs
-  Move Motif
-  Center the Motif in Hoop
-  Rotate Motif
-  Altering the Size
-  Add Motif (+ on top of layer panel)
-  Check -- Checking the Motif Size
-  Motif Center
-  Stitch Density for Alphabets
-  Color Information
-  Convert Thread Brand to Another
-  Word Art/Text Bending
- Absolute Check-no associated icon

EMBROIDERY STITCHING FUNCTIONS

-  Embroidery OK
-  Basting - Motif / No Basting
-  Move Hoop
-  Sequence Control
-  Cut Connecting Stitches
-  Single/Multi-color Motif

bernette 38

394 TOTAL STITCHES

- 20 Practical
- 8 Buttonholes
- 67 Decorative
- 25 Quilting
- 3 Alphabets
- 2 Darning Programs

MACHINE FEATURES

Maximum Sewing Speed: 820spm
6.7" to the Right of the Needle
4.3" Workspace Height
Centrally Located LCD Display
7 mm Maximum Stitch Width
5 mm Maximum Stitch Length
15 Needle Positions Select Straight Stitches
LED Light
AC Motor
Automatic Thread Cutter
Weight: 14.3 lbs.
Dimensions (L/W/H):
16.1" x 6.9" x 11.9"

COMPATIBLE ACCESSORIES

Variety of accessory feet
b37/b38 Presser Foot Set
b37/b38 Quilting Foot Set
Carrying Bag
Rolling Suitcase



EIGHT PRESSER FEET

One Shank + 8 Soles:
Zigzag Sole (A)
Overlock Sole (C)
Zipper Sole (E)
Satin Stitch Sole (F)
Blindstitch Sole (G)
Button Sew-on Sole (T)
Open Toe Sole (F2)
Buttonhole Sole with Slide (R)

STANDARD ACCESSORIES

Basic Foot Control
Snap-in Accessory Box with Storage
Large Extension Table
4 Bobbins
Hard Cover
Tool Kit


MACHINE FUNCTIONS

Touch Pad Stitch Selection
 Upper Thread Tension Dial
 Securing Button
 Twin Needle Security Button
 Presser Foot Recommendation On Screen
 Presser Foot Pressure Dial
 clr - Back to Basic Setting



GENERAL SEWING FUNCTIONS


Needle Stop Up/Down Button
 Program Pattern Combinations



BUTTONHOLE FUNCTIONS


Buttonhole stitched to size of button inserted

TOUCH PANEL



- | | |
|-----------------------|------------------------|
| 1 Mode Button | 5 Number Buttons |
| 2 Clear Button | 6 Stitch Width Buttons |
| 3 Mirror Image Button | 7 Stitch Length Button |
| 4 Memory Button | 8 Cursor |

LCD DISPLAY



- | | |
|-------------------------|-----------------|
| 1 Stitch Pattern | 4 Presser Foot |
| 2 Mode | 5 Stitch Width |
| 3 Stitch Pattern Number | 6 Stitch Length |

For the most up to date prices visit: www.sewingmachinesales.co.uk

bernette 37

50 TOTAL STITCHES

- 17 Practical
- 5 Buttonholes
- 19 Decorative
- 7 Quilting
- 2 Darning Programs

MACHINE FEATURES

Maximum Sewing Speed: 700 spm
6.7" to the Right of the Needle
4.3" Workspace Height
Centrally Located LCD Display
7.0 mm Maximum Stitch Width
5 mm Maximum Stitch Length
15 Needle Positions-Straight Stitch Only
LED Light
AC Motor
Drop-in Bobbin
Weight: 13 lbs.
Dimensions (L/W/H):
16.1" x 6.9" x 11.9"

COMPATIBLE ACCESSORIES

Large Extension Table
Variety of accessory feet
b37/b38 Presser Foot Set
b37/b38 Quilting Foot Set
Carrying Bag
Rolling Suitcase



FIVE PRESSER FEET

One Shank + 5 Soles:
Zigzag Sole (A)
Zipper Sole (E)
Satin Stitch Sole (F)
Buttonhole Foot with Slide (R)
Button Sew-on Sole (T)

STANDARD ACCESSORIES

Basic Foot Control
Snap-in Accessory Box with Storage
4 Bobbins
Dust Cover
Tool Kit

MACHINE FUNCTIONS

Electronic Stitch Selection
Upper Thread Tension Dial
Auto-lock Button
Presser Foot Pressure Dial

GENERAL SEWING FUNCTIONS


Needle Stop Up/Down Button

BUTTONHOLE FUNCTIONS







Buttonhole stitched to size of button inserted



LCD DISPLAY



- | | | | |
|---|-----------------------|---|---------------|
| 1 | Stitch Pattern Number | 4 | Stitch Length |
| 2 | Cursors | 5 | Presser Foot |
| 3 | Stitch Width | | |

	Auto-lock button		Needle Stop Up/Down button
	Reverse Sewing button		Start/Stop button
	Cursor buttons (< >)		Value Set buttons (^ v)

For the most up to date prices visit: www.sewingmachinesales.co.uk

bernette 35

23 TOTAL STITCHES

- 14 Practical
- 1 Buttonhole
- 8 Decorative



MACHINE FEATURES

Maximum Sewing Speed: 860 spm
6.7" to the Right of the Needle
4.3" Workspace Height
5 mm Maximum Stitch Width
4 mm Maximum Stitch Length
Variable Needle Positions Straight/
Triple Straight Stitch Only
LED Light
AC Motor
Dedicated Stitch Length and Width Dials
Automatic Buttonhole Lever
Front-Loading Bobbin
Weight: 13.4 lbs.
Dimensions (L/W/H):
16" x 6.7" x 11.7"

COMPATIBLE ACCESSORIES

Variety of accessory feet
b33/b35 Presser Foot Set
Carrying Bag
Rolling Suitcase

SEVEN PRESSER FEET

One Shank + 7 Soles:
Zigzag Sole (A)
Zipper Sole (E)
Satin Stitch Sole (F)
Blindstitch Sole (G)
Buttonhole Sole with Slide (R)
Button Sew-on Sole (T)
Hemmer Sole

STANDARD ACCESSORIES

Snap-in Accessory Box with Storage
Basic Foot Control/Power Cord
4 Bobbins
Tool Kit

MACHINE FUNCTIONS

Upper Thread Tension Dial

Stitch Selection Dials



BUTTONHOLE FUNCTIONS

Buttonhole stitched to size of button inserted





b35

STITCH LENGTH





1 Setting Mark

STITCH PATTERN SELECTOR KNOB



1 Setting Mark

STITCH WIDTH



1 Setting Mark

bernette 33

15 TOTAL STITCHES

- 14 Practical
- 1 Buttonholes

MACHINE FEATURES

Maximum Sewing Speed: 860 spm
6.7" to the Right of the Needle
4.3" Workspace Height
5 mm Maximum Stitch Width (pre-set)
4 mm Maximum Stitch Length
2 Variable Needle Positions Straight
Stitch Only
LED Light
AC Motor
Front-Loading Bobbin
Weight: 12.8 lbs.
Dimensions (L/W/H):
16" x 6.7" x 11.7"
Workspace Height: 3.25"

COMPATIBLE ACCESSORIES

Variety of accessory feet
b33/b35 Presser Foot Set
Carrying Bag
Rolling Suitcase



FIVE PRESSER FEET

One Shank + 5 Soles:
Zigzag Sole (A)
Zipper Sole (E)
Blindstitch Sole (G)
Buttonhole Sole with Slide (R)
Button Sew-on Sole (T)

STANDARD ACCESSORIES

Snap-in Accessory Box with Storage
3 Bobbins
Tool Kit

MACHINE FUNCTIONS

Upper Thread Tension Dial

Stitch Selection Dial

BUTTONHOLE FUNCTIONS



Four-Step Buttonhole





b33

STITCH PATTERN SELECTOR KNOB

STITCH LENGTH



1 Setting Mark



1 Setting Mark

sew&go 1

10 TOTAL STITCHES

- 8 Practical
- 1 Buttonhole
- 1 Decorative

MACHINE FEATURES

5.9" to the Right of the Needle
4.3" Workspace Height
Maximum Sewing Speed: 750 spm
5 mm Maximum Stitch Width (preset)
4 mm Maximum Stitch Length
Variable Needle Positions Straight
Stitch Only
LED Light
AC Motor
Front-Loading Bobbin
Weight: 13.25 lbs.
Dimensions (L/W/H):
16" x 6.65" x 11.8"

COMPATIBLE ACCESSORIES

Clear Sole
Carrying Bag
Rolling Suitcase



FOUR PRESSER FEET

One Shank + 4 Soles:
Zigzag Sole (J)
Buttonhole Sole (B)
Zipper Sole (I)
Button Sew-on Sole (H)

STANDARD ACCESSORIES

Snap-in Accessory Box with Storage
Basic Foot Control/Power Cord
3 Total Bobbins
Tool Kit




MACHINE FUNCTIONS

- Upper Thread Tension Dial
- Manual Presser Foot Pressure
- Stitch Selection Dial

BUTTONHOLE FUNCTIONS

- Four-step Buttonhole



	Stitch Pattern Selector Knob		Stitch Length Knob <ul style="list-style-type: none">• Turn between 0-4 to adjust stitch length• Turn the knob to "S" to sew stretch stitch patterns. Condense or expand with the "-" or "+".
	Reverse Sewing Lever		

bernette 48 Overlocker/Coverstitch Combo Machine

23 TOTAL OVERLOCKER STITCHES

5-thread safety stitch	3-thread narrow seam
4-thread safety stitch	3-thread rolled hem
4-thread overlock	2-thread chainstitch
4-thread/3-needle coverstitch	2-thread overlock (wide/narrow)
3-thread/2-needle coverstitch (wide/narrow)	2-thread flatlock (wide/narrow)
3-thread overlock (wide/narrow)	2-thread rolled hem
3-thread super-stretch	2-thread wrapped overlock (wide/narrow)
3-thread flatlock (wide/narrow)	

STANDARD ACCESSORIES

Standard Overlock/Coverstitch Presser Foot
Upper Looper Converter
Manual Needle Threader
Cut-offs Bin
Tools and Accessories in Separate Box
Cover-/Chainstitch Insert
Dust Cover

COMPATIBLE ACCESSORIES

Cover/Chainstitch Feet Kit (8 pcs)
Overlock Feet Kit (6 pcs)
Assortment of feet for different sewing tasks



TECHNICAL DATA

1300 Stitches Per Minute
Stitch Length Adjustment 1-4mm
Coverstitch Width 2.8 / 5.6 mm
Combo Stitch Width 3-10 mm
Differential Feed
0.6-1 Stretching / 1-2 Gathering
7-Step Presser Foot Pressure
AC Motor
Weight: 17.2 lbs.
Dimensions (w/o thread stand) (L/W/H):
13" x 10.35" x 11.5"
Adjustable Thread Tension Dials
Upper Knife Drive from Below

COMFORT FEATURES

Lower Looper and Chain Looper
Threader Lever
Color-Coded Threading Paths
Lay-in Threading System
Automatic Thread Tension Release
Stitch Length Adjustable while sewing
Accessory Storage in Looper Cover
LED Sewing Light
Built-in Rolled Hem Lever
Safety Switch for Looper Cover

bernette 44 Overlock Machine

15 TOTAL OVERLOCKER STITCHES

4-thread overlock	3-thread rolled hem
3-thread overlock (wide / narrow)	2-thread overlock (wide / narrow)
3-thread super stretch	2-thread flatlock (wide / narrow)
3-thread flatlock (wide / narrow)	2-thread rolled hem
3-thread narrow seam	3-thread wrapped overlock (wide/narrow)

STANDARD ACCESSORIES

Standard Overlock Presser Foot
Upper Looper Converter
Manual Needle Threader
Cut-offs Bin
Tools and Accessories in Separate Box
Dust Cover

COMPATIBLE ACCESSORIES

Overlock Feet Kit (6 pcs)
Assortment of feet for different
sewing tasks



TECHNICAL DATA

1300 Stitches per Minute
Stitch Length Adjustment 1-4mm
Overlock Seam Width 3-7 mm
Differential Feed
0.6-1 Stretching / 1-2 Gathering
7-Step Presser Foot Pressure
AC Motor
Weight: 15.9 lbs.
Dimensions (w/o thread stand) (L/W/H):
13" x 10.35" x 11.5"
Adjustable Thread Tension Dials
Upper Knife Drive from Below

COMFORT FEATURES

Lower Looper Threader Lever
Color-Coded Threading Paths
Lay-in Threading System
Automatic Thread Tension Release
Stitch Length Adjustable while sewing
Accessory Storage in Looper Cover
LED Sewing Light
Built-in Rolled Hem Lever
Safety Switch for Looper Cover

bernette 42 Cover/Chainstitch

4 TOTAL STITCHES

4 thread/3-needle coverstitch
3-thread/2-needle coverstitch (wide/narrow)
3-thread/2 needle coverstitch (narrow)
2-thread chain stitch

STANDARD ACCESSORIES

Standard Coverstitch Presser Foot
Manual Needle Threader
Tools and Accessories in Separate Box
Built-in Cover/Chainstitch Insert
Dust Cover

COMPATIBLE ACCESSORIES

Cover/Chainstitch Feet Kit (8 pcs)
Assortment of feet for different
sewing tasks including the
Elasticator Foot



TECHNICAL DATA

1300 Stitches per Minute
Stitch Length Adjustment 1-4mm
Coverstitch Width 2.8 / 5.6 mm
Differential Feed
0.6-1 Stretching / 1-2 Gathering
7 Step Presser Foot Pressure
AC Motor
Weight: 15 lbs.
Dimensions (w/o thread stand) (L/W/H):
13" x 10.35" x 11.5"
Adjustable Thread Tension Dials

COMFORT FEATURES

Chain Looper Threader Aide
Color-Coded Threading Paths
Lay-in Threading System
Automatic Thread Tension Release
Stitch Length Adjustable while sewing
Accessory Storage in Looper Cover
LED Sewing Light
Safety Switch for Looper Cover

For the most up to date prices visit: www.sewingmachinesales.co.uk